



NE PANEL- Primary Packaging- 1 to 500 ml and 500 to 5000 ml.

MPGS
Amino Pro Plus

Protein Hydrolysate 25% Plant Sourced (Liquid) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Protein hydrolysate (from <i>Glycine max</i> & <i>Zea mays</i> in ratio of 5.5:4.5)	:	25 % w/w (Min.)
Pure water	:	Q.S. % w/w
Total	:	100.00 % w/w

Target crops: Green gram

Application:

Two foliar applications at 1.25 Litre/ha



Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.

Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.

Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.

Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.

Safety: Wear gloves and a face mask during application to avoid inhaling dust.

Hygiene: Wash hands thoroughly with soap and water after handling the product

Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 500 ml and 500 to 5000 ml.

MPGS
Amino

Protein Hydrolysate 16.9% Plant Sourced (Liquid) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Protein hydrolysate (from <i>Glycine max</i> & <i>Zea mays</i> in ratio of 5.5:4.5)	:	16.9 % w/w (Min.)
Potassium sorbate & Vegetable based fatty acid	:	21.0 % w/w (Min.)
Pure water	:	Q.S. % w/w
Total	:	100.00 % w/w



Target crops: Green gram

Application:

Two foliar applications at 1.5 litre/ha

Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.

Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.

Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.

Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.

Safety: Wear gloves and a face mask during application to avoid inhaling dust.

Hygiene: Wash hands thoroughly with soap and water after handling the product

Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 500 ml and 500 to 5000 ml.

MPGS
Amino Pro

Protein Hydrolysate 20% Plant Sourced (Liquid) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Protein hydrolysate (Microbial fermentation)

a) Sugarbeet molasses and	:	87.1 % w/w (Min.)
b) Corn glucose syrups	:	12.4 % w/w (Min.)
Ocithilinone	:	0.3 % w/w (Min.)
Polysiloxanes	:	0.2 % w/w (Min.)
Pure water	:	Q.S. % w/w
Total	:	100.00 %



Target crops: Soybean

Application: Two foliar applications at 2 Litre/ha

Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.

Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.

Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.

Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.

Safety: Wear gloves and a face mask during application to avoid inhaling dust.

Hygiene: Wash hands thoroughly with soap and water after handling the product

Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 5 kg and 6 to 25 kg.

MPGS
Amino Maxx

Protein Hydrolysate 27% Plant Sourced (Powder) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Soy flour	:	27.0 % w/w (Min.)
Enzymes [Protease 2% (400ID/g) + Amylase 1% (80 IU/g)]	:	3.0 % w/w (Min.)
Diatomaceous Earth Powder	:	70.0 % w/w (Min.)
Total	:	100.00 % w/w



Target crops: Paddy & Tomato

Application:

Paddy: Seed treatment before sowing at 3.0 m/kg seed
Tomato: One soil application at 1.25 kg/ha

Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.
Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.
Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.
Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.
Safety: Wear gloves and a face mask during application to avoid inhaling dust.
Hygiene: Wash hands thoroughly with soap and water after handling the product
Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 500 ml and 500 to 5000 ml.

MPGS
Blossum

Protein Hydrolysate 16% Animal Sourced (Liquid) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Protein hydrolysate (<i>Animal sourced</i>):		16 % w/w (Min.)
Carbohydrates	:	6 % w/w (Min.)
Tween 80	:	2 % w/w (Min.)
Formaldehyde	:	2% w/w (Min)
Pure water	:	QS
Total	:	100.00 %



Target crops: Chilli

Application: Three foliar applications at 1375 ml/ha

Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.

Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.

Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.

Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.

Safety: Wear gloves and a face mask during application to avoid inhaling dust.

Hygiene: Wash hands thoroughly with soap and water after handling the product

Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udipi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹

(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 5 kg and 6 to 25 kg.

MPGS
Blossom

Amino acids 40% Microbial Sourced (Powder) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Amino acids (Source: <i>Corynebacterium glutamicum</i>)	:	40 % w/w (Min.)
Maltodextrin	:	50 % w/w (Min.)
Precipitate Silica	:	5.0 % w/w (Max.)
Moisture	:	5.0 % w/w (Max.)
Total	:	100.00 %

Target crops: Soybean & Chilli

Application:

Soybean: Two foliar applications at 625 g/ha
Chilli: Two foliar applications at 625 ml/ha



Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.
Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.
Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.
Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.
Safety: Wear gloves and a face mask during application to avoid inhaling dust.
Hygiene: Wash hands thoroughly with soap and water after handling the product
Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before



NE PANEL- Primary Packaging- 1 to 500 ml and 500 to 5000 ml.

MPGS
Amino

Protein Hydrolysate 20% (Liquid) (BIOSTIMULANTS)

(Schedule IV of F.C.O. 1985 Fertilizer/Bio-stimulant)
(For Agricultural Use Only)

Chemical Composition

Protein hydrolysate (from *Glycine max* & *Zea mays* in

ratio of 5.5:4.5 by Enzyme (*Papaine*))

: 30 % w/w (Min.)

Pure water

: Q.S. % w/w

Total

: 100.00 % w/w



Target crops: Rice

Application:

Two foliar applications at 625 ml/ha

Guidelines for Crop Application:

Foliar Spray: Mix 2–3 ml per liter of water. Spray evenly over leaves during early morning or late evening.

Drip Irrigation (Fertigation): Mix 500 ml to 1 liter per acre in water and feed directly into the root zone.

Soil Drenching / Broadcasting: Dilute in water and apply near the base of plants or mix with regular liquid fertilizers.

Seed Treatment: Soak seeds in a weak solution (approx. 100 ml per kg of seeds) for about 1 hour before planting.

Shelf-life: Best before 2 Years from the Date of Mfg.

Storage and Handling Warnings

Storage: Store in a cool, dry, well-ventilated place away from direct sunlight and moisture.

Safety: Wear gloves and a face mask during application to avoid inhaling dust.

Hygiene: Wash hands thoroughly with soap and water after handling the product

Keepsakes: Keep out of reach of children and domestic animals.

Manufactured by:

JANATHA AGRO PRODUCTS

Manoor Fisheries Road, Post: Kota, Taluk & District: Udupi, Karnataka, Pin – 576221

Marketed By:-

MPGS INDIA AGROTECH

HN1, HARIRAMPUR, South Dinajpur, West Bengal, 733125

Website: www.mpgsindiaagrotech.com

Customer care: 7888455615

Email ID: mpgsindiaagrotech@gmail.com

ISO 9001:2015 certified

License (Registration no):

Batch no:

Manufacturing Date: / /

Maximum Retail Price (MRP) ₹
(Inclusive of all taxes)

Unit Price

Best Before